



## **FRIGMAC PTY LTD**

**Name:** MODEL FRS Refrigerated Water Chiller to suit 4, 5 or 6 faucet school drinking trough

**Water Supply:** Main Water Supply

**Dimension (mm):** 1350W x 340D x 280H (Boxed Dimensions 1510W x 360D x 300H)

**Weight:** 41kgs (Boxed Weight 43kgs)

**Cooling system:** R134a Refrigerant, compressor

**Colour:** White

**Power supply:** 220 / 240 volt, 50hz, 1ph, 2.6 amps, 395 watts

### **Description/Features:**

- This refrigerated water cooler is designed to be installed underneath a 4 to 6 faucet school drinking trough.
- This is a wall mounted refrigerated water chiller.
- It must be mounted horizontally.
- Must not be installed inside a cupboard or an enclosed space.
- It can be installed along with a new drinking trough.
- Can also be fitted to an existing drinking trough thus saving on the cost of purchasing new troughs, faucets and plumbing installation.

- **This water cooler is fitted with a low ambient temperature control to help prevent the refrigeration system from running in cooler weather (21 degrees C or below) and extending the life of the refrigeration system.**
- All the electrical wiring is double insulated.
- All water lines and fittings are insulated to prevent condensation.
- Maximum working water pressure 700kpa
- Water fittings 15mm female thread (water in and water out)
- Will produce approximately 76 litres of cold water per hour.
- Has a 10 amp power plug top.
- The unit is powder coated on the outside and inside of panelling.
- All the nuts, bolts and screws are stainless steel
- Has heavy gauge 6mm x 100mm x 250mm stainless steel wall mounting brackets
- There is a two year warranty on the refrigeration system.

**Proudly Australian Made**

**All specifications, dimensions, parameters and performances subject to change without notice.**

